Notice of Allowability	Application No.	Applicant(s)		
	10/795,867	WANG ET AL.		
	Examiner	Art Unit		
	Steve R. Crow	3764		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
1. X This communication is responsive to <u>8-10-05</u> .				
2. The allowed claim(s) is/are <u>3 and 4</u> .				
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>				
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.				
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached				
1)  hereto or 2)  to Paper No./Mail Date				
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).				
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s)	€ □ Nation of Informal B	totant Application (PT	O 152\	
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>	<ol> <li>5. ☐ Notice of Informal P</li> <li>6. ☐ Interview Summary</li> </ol>	, ,	0-102)	
	Paper No./Mail Dat	Paper No./Mail Date 7.  Examiner's Amendment/Comment		
<ul> <li>3.  Information Disclosure Statements (PTO-1449 or PTO/SB/06 Paper No./Mail Date</li> <li>4.  Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	<i>"</i> =			
	• —	8. 🗵 Examiner's Statement of Reasons for Allowance		
	9. [ ] Other	9.		

Application/Control Number: 10/795,867

Art Unit: 3764

1. The following is an examiner's statement of reasons for allowance: The prior art of record fails to show or teach applicant's claimed elliptical exercise device comprising a main frame having a rotary body, two treadles pivotally connected to the rotary body, a shaft located on the frame; two rocker arms; a connecting mechanism having two first connecting rods pivotally connected to a first end of a respective rocker; two connecting members pivotally connected to a first end of each first connecting rod; two accessory rods pivotally connected at a first end to a second end of each treadle, each accessory rod having a third pivot located on the first end, and a second end pivotally connected to the shaft, the third pivot of the accessory rods is pivotally connected to a first end of each of the two connecting members; and two second connecting rods each pivotally connected at a first end to the shaft, and one of the second connecting rods pivotally connected at a second end midsection of each of the two first connecting rods pivotally connected at a second end midsection of each of the two first connecting rods.

Page 2

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Steve R. Crow whose telephone number is 571-272-4973. The examiner can normally be reached on Reg:8:30-6;Off First Friday.

Application/Control Number: 10/795,867

Art Unit: 3764

Page 3

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Greg Huson can be reached on 571-272-4887. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SC

STEPHEN R. CROW PRIMARY EXAMINER ART UNIT 332

AR Pans